CV. SARANA MOTOR
INDUSTRI KAROSERI

ISO 9001:2015
ISO 13485:2016
ISO 14001:2015
ISO 45001:2018

MODIFIKASI AMBULANCE TOYOTA HIACE TYPE VIP









EXTERIOR & INTERIOR MODIFICATION

A. Fixed Central Gas System
- 2 Pcs Oxygen Cylinder 1M^3
- 2 Pcs Oxygen Regulator
- 2 Pcs Neple Elbow
- 1 Pcs Oxygen Wall Outlet
- 1 Pcs Nasal Oxygen Cannula for Adult
- 1 Pcs Oxygen Mask for Adult
- 1 Set Oxygen Valve On / Off
- Tubing High Pressure and Clamp Tubing
- 1 Pcs Flowmeter Oxygen with Humidifier

B. Attendant seat with box space for equipment
(Material : Multi Flex coated with ABS Form)

C. Medical Equipment Compartements system with acrylic, finishing duco

D. Washtafel cabinet with 2 Water Tank, finishing duco

E. Seat for Medical Officer (Medical Seat) 2 pcs

F. Bumper Protection for Ambulance Stretcher (Stainless Steel)

G. Sliding Infuse Stainless Steel

H. Three Extra DC Outlets

I. One Extra AC Outlets

J. Floor Modification Vinyl Covering Anti Bacteria

K. LED Flash light bar include coil Filter
- Input Voltage 12 Volt
- Power Consumtion 18 watt
- Life Time 10.000 Hours

. Multi Sound Sirene System, Include Microphone Paging
- Police Voice, Ambulance Voice & Fire Voice
- Input Voltage 12 VDC
- Current Input 7.5 Ampere
- Power Output 500 Watt

L. Adjustable Lighting spot light 1 pcs

M. Adjustable Examination Lamp 2 pcs

N. Base Stretcher Full Stainless Steels with space for Scoop Stretcher

O. Locking and Unlocking key for Stretcher

P. Fire extinguisher 1 kg with Bracket

Q. Sticker & Logo Standard

R. Divider between the Cabin and Patient area, featuring sliding glass

S. Glass Film 60 / 80 %

T. Ambulance Stretcher Automatic Roll in Chair

Features and Benefits

Tubular aluminium construction provides durability & strength. **Automatic locking leg system** ensures that the cot legs are locked into place once they are fully unfolded. Adjustable bracket angle from 0 to 75 allows patient to be in the most comfortable position possible during transport. Full Length, 2", sectional mattress provide comfort&folds with the cot as it is **moved into a chair position**. Patient restraint system ensures safety of patient during transport.

Specification :

Length	: 190 cm
Width	: 58 cm
Height Maximum	: 101 cm
Height Minimum (lowest level)	: 26 cm
Gross Weight	: 47 kg
Net Weight	: 40 kg
Max. Load	: 18 kg
Castor	: 6 pcs Swivel (2Pcs Swivel with Break)

Accessories :
- Safety Belts : 3 Pcs
- Mattress : 1 Pcs

U. Folding Scoop Stretcher

Dimension :

Max. Length	: 227 cm
Length as folded	: 122 cm
Length	: 169 cm
Width	: 42 cm
Height	: 7 cm
Max. Load	: 160 kg
Accessories	: 3 Safety Belt
Material	: - Aluminium - Nylon Fiber
Finishing	: Powder Coating

CV. SARANA MOTOR
INDUSTRI KAROSERI

ISO 9001:2015
ISO 13485:2016
ISO 14001:2015
ISO 45001:2018

MODIFIKASI AMBULANCE TOYOTA HIACE TYPE MEDIUM







EXTERIOR & INTERIOR MODIFICATION

A. Fixed Central Gas System
- 2 Pcs Oxygen Cylinder 1M^3
- 2 Pcs Oxygen Regulator
- 2 Pcs Neple Elbow
- 1 Pcs Oxygen Wall Outlet
- 1 Pcs Nasal Oxygen Cannula for Adult
- 1 Pcs Oxygen Mask for Adult
- 1 Set Oxygen Valve On / Off
- Tubing High Pressure and Clamp Tubing
- 1 Pcs Flowmeter Oxygen with Humidifier

B. Attendant seat with box space for equipment
(Bahan Jok : Multi Flex dilapis ABS Cetak dengan Jok Cetak)

C. Medical Equipment Compartement system with acrylic door, including Washtafel cabinet with 2 water tank, finishing duco

D. Bumper Protection for Ambulance Stretcher
Material : Plate Stainless Steels

E. Seat for Medical Officer (Medical Seat)

F. Sliding Infuse Materials : Stainless Steels

G. Three Extra DC Outlets

H. One Extra AC Outlets

I. Floor Modification Vinyl Covering AntiBacteria

J. LED Flash light bar include coil Filter
- Length: 120 cm, Width: 30 cm, Height: 22cm
- Input Voltage 12 Volt
- Life Time 10.000 Hours

Multi Sound Sirene System Include Microphone Paging
- Police Voice, Ambulance Voice & Fire Voice
- Input Voltage 12 VDC
- Current Input 7.5 Ampere
- Power Output 500 Watt

K. Adjustable Lighting spot light, 1 pcs

L. Adjustable Examination Lamp, 2 pcs

M. Base Stretcher Full Stainless Steels with space for Scoop Stretcher

N. Locking and Unlocking key for Stretcher

O. Fire extinguisher 1 kg with Bracket

P. Sticker & Logo Standard

Q. Divider between the Cabin and Patient area, featuring sliding glass

R. Glass Film 60 / 80 %

S. Ambulance Stretcher Roll in Cot

Features and Benefits
- Tubular aluminium construction provides durability & strength.
- Automatic locking leg system ensures that the cot legs are locked into place once they are fully unfolded.
- Adjustable bracket angle from 0 to 75 allows patient to be in the most com fortable position possible during transport.
- Patient restraint system ensures safety of patient during transport.

Specification :

Length	: 197 cm
Width	: 58 cm
Height Maximum	: 101 cm
Height Minimum (lowest level)	: 26 cm
Gross Weight	: 47 kg
Net Weight	: 40 kg
Castor	: 8 Pcs Swivel
	: 2 Pcs Swivel with break

Accessories :

- Safety Belts	: 3 Pc
- Mattress	: 1 Pc

T. Folding Scoop Stretcher

Dimension :

Max. Length	: 227 cm
Length as folded	: 122 cm
Length : 169 cm, Width : 42 cm, Height : 7 cm	
Max. Load	: 160 kg
Accessories	: 3 Safety Belt
Material	: - Aluminium
	- Nylon Fiber
Finishing	: Powder Coating

CV. SARANA MOTOR
INDUSTRI KAROSERI

ISO 9001:2015
ISO 13485:2016
ISO 14001:2015
ISO 45001:2018

MODIFIKASI AMBULANCE TOYOTA HIACE TYPE STANDARD PLUS







EXTERIOR & INTERIOR MODIFICATION

A. Fix Central Gas System
- 1 Pcs Oxygen Cylinder 1M^3
- 1 Pcs Oxygen Regulator with humidifier & flowmeter
- 1 Pcs Nasal Oxygen Cannula for Adult
- 1 Pcs Oxygen Mask for Adult

B. Attendant seat with box space for equipment
(Bahan Jok : Multi Flex dilapis ABS Cetak dengan Jok Cetak)

C. Medical Equipment Compartement system with acrylic door, including Washtafel cabinet with 2 water tank, finishing duco

D. Bumper Protection for Ambulance Stretcher
Material : Plate Stainless Steels

E. Seat for Medical Officer (Medical Seat) 2 pcs

F. Sliding Infuse Materials : Stainless Steels

G. Three Extra DC Outlets

H. One Extra AC Outlets

I. Floor Modification Vinyl Covering AntiBacteria

J. LED Flash light bar include coil Filter
- Length: 120 cm, Width: 30 cm, Height: 22cm
- Input Voltage 12 Volt - Life Time 10.000 Hours

Multi Sound Sirene System Include Microphone Paging
- Police Voice, Ambulance Voice & Fire Voice - Input Voltage 12 VDC
- Current Input 7.5 Ampere - Power Output 500 Watt

K. Adjustable Lighting spot light, 1 pcs

L. Adjustable Examination Lamp, 2 pcs

M. Base Stretcher Full Stainless Steels with space for Scoop Stretcher

N. Locking and Unlocking key for Stretcher

O. Fire extinguisher 1 kg with Bracket

P. Sticker & Logo Standard

Q. Divider between the Cabin and Patient area, featuring sliding glass

R. Glass Film 60 / 80 %

S. Ambulance Stretcher Roll in Cot

Features and Benefits
- Tubular aluminium construction provides durability & strength.
- Automatic locking leg system ensures that the cot legs are locked into place once they are fully unfolded.
- Adjustable bracket angle from 0 to 75 allows patient to be in the most com fortable position possible during transport
- Patient restraint system ensures safety of patient during transport.

Specification :

Length	: 197 cm
Width	: 58 cm
Height Maximum	: 101 cm
Height Minimum (lowest level)	: 26 cm
Gross Weight	: 47 kg
Net Weight	: 40 kg
Castor	: 8 Pc Swivel
	: 2 Pc Swivel with break

Accessories :

- Safety Belts	: 3 Pc
- Mattress	: 1 Pc

T. Folding Scoop Stretcher

Dimension :

Max. Length	: 227 cm
Length as folded	: 122 cm
Length : 169 cm, Width : 42 cm, Height : 7 cm	
Max. Load	: 160 kg
Accessories	: 3 Safety Belt
Material	: - Aluminium
	- Nylon Fiber
Finishing	: Powder Coating

CV. SARANA MOTOR
INDUSTRI KAROSERI

ISO 9001:2015
ISO 13485:2016
ISO 14001:2015
ISO 45001:2018

MODIFIKASI AMBULANCE TOYOTA HIACE TYPE STANDARD







EXTERIOR & INTERIOR MODIFICATION

A. Oxygen Delivery System
- 1 Pcs Oxygen Cylinder 1M^3
- 1 Pcs Oxygen Regulator with humidifier & flowmeter
- 1 Pcs Nasal Oxygen Cannula for Adult
- 1 Pcs Oxygen Mask for Adult

B. Washtafel cabinet with 2 Water Tank

C. Attendant seat with box space for equipment
(Bahan Jok : Multi Flex dilapis ABS Cetak dengan Jok Cetak)

D. First Aid Box (Box P3K)

E. Bumper Protection for Ambulance Stretcher

F. Sliding Infuse Stainless Steel

G. Floor Modification Vinyl Covering AntiBacteria

H. LED Flash light bar include coil Filter
- Length: 120 cm, Width: 30 cm, Height: 22cm
- Input Voltage 12 Volt
- Life Time 10.000 Hours

Multi Sound Sirene System Include Microphone Paging
- Police Voice, Ambulance Voice & Fire Voice
- Input Voltage 12 VDC
- Current Input 7.5 Ampere
- Power Output 100

I. Adjustable Lighting spot light 1 pcs

J. Adjustable Examination Lamp 2 pcs

K. Base Stretcher Full Stainless with space for Scoop Stretcher

L. Locking and Unlocking key for Stretcher

M. Fire extinguisher 1 kg with Bracket

N. Sticker & Logo Standard

O. Divider between the Cabin and Patient area, featuring sliding glass

P. Glass Film 60 / 80 %

Q. Ambulance Stretcher Roll in Cot

Features and Benefits
- Tubular aluminium construction provides durability & strength.
- Automatic locking leg system ensures that the cot legs are locked into place once they are fully unfolded.
- Adjustable bracket angle from 0 to 75 allows patient to be in the most com fortable position possible during transport.
- Patient restraint system ensures safety of patient during transport.

Specification :

Length high - level position	: 186.5 cm
Width	: 57 cm
Height Maximum	: 86.5 cm
Height Minimum (lowest level)	: 20 cm
Weight	: 26.5 kg
Max. Load	: 160 kg
Castor	: 4 Pc Swivel
Accessories :	: 2 Pc Swivel with break
- Safety Belts	: 3 Pc
- Mattress	: 1 Pc
- I.V Pole	: 1 Pc

R. Folding Scoop Stretcher

Dimension :

Max. Length	: 227 cm
Length as folded	: 122 cm
Length : 169 cm, Width : 42 cm, Height : 7 cm	
Max. Load	: 160 kg
Accessories	: 3 Safety Belt
Material	: - Aluminium
	- Nylon Fiber
Finishing	: Powder Coating

CV. SARANA MOTOR
INDUSTRI KAROSERI

ISO 9001:2015
ISO 13485:2016
ISO 14001:2015
ISO 45001:2018

MODIFIKASI AMBULANCE TOYOTA HIACE TYPE JENAZAH









EXTERIOR & INTERIOR MODIFICATION

A . LED Flash light bar include coil Filter
Length: 120 cm, Width: 30 cm, Height: 22 cm
- Input Voltage 12 Volt
- Life Time 10.000 Hours

Multi Sound Sirene System Include Microphone Paging
- Police Voice, Ambulance Voice & Fire Voice
- Input Voltage 12 VDC -Power Output
- Current Input 7.5 Ampere

B. Adjustable Lighting spot light 1 Pcs
C. Attendant seat (Delivery seat) with box space for equipment
(Material : Multi Flex coated with ABS Form)
D. Base Coffin (Keranda Mayat) Covering Vinyl with Rail
E. Locking and Unlocking key for Coffin
F. Fire extinguisher 1 kg with Bracket
G. Sticker & Logo Standard
H. Divider between the Cabin and Patient area, featuring sliding glass
I. Glass Film 60 / 80 %
J. Floor Modification Vinyl Covering AntiBacteria
K. Washtafel Cabinet with 2 Water Tanks
L. Coffin Corpse (Keranda Jenazah)
Spesification:
- Material : Stainless Steel
M. Kain Penutup Keranda Jenazah